



# REPORT

Technical Report: (6509)071-0035

Page 1 of 4  
March 19, 2009



**Bureau Veritas**  
**Consumer Products Services, Inc.**  
350 Myles Standish Blvd.,  
Taunton, MA 02780 USA  
508-844-2700 Fax 508-844-2869  
website: cps.bureauveritas.com

This report is governed by, and incorporates by reference, the Conditions of Testing as posted at the date of issuance of this report at <http://www.cps.bureauveritas.com> and is intended for your exclusive use. Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our prior written permission. This report sets forth our findings solely with respect to the test samples identified herein. The results set forth in this report are not indicative or representative of the quality or characteristics of the lot from which a test sample was taken or any similar or identical product unless specifically and expressly noted. Our report includes all of the tests requested by you and the results thereof based upon the information that you provided to us. You have 60 days from date of issuance of this report to notify us of any material error or omission caused by our negligence; provided, however, that such notice shall be in writing and shall specifically address the issue you wish to raise. A failure to raise such issue within the prescribed time shall constitute your unqualified acceptance of the completeness of this report, the tests conducted and the correctness of the report contents.



# DILLARD'S INC TEST REPORT

**TO:** DILLARD'S  
DILLARD CORP. OFFICE  
1600 CANTRELL ROAD  
LITTLE ROCK, AR72201  
USA.

**ATTN:** AMANDA MILLER (DILLARD'S)  
**C.C.:** ANDREA MARIANO (MAD ENGINE, INC)

**LAB NO.:** (6509)071-0035  
**DATE IN:** March 12, 2009  
**MODIFIED DATE IN:** Not Applicable  
**DATE OUT:** March 19, 2009  
**DEPARTMENT:** JUVY  
**NO. OF WORKING DAYS:** 5  
**PAGE:** 2 OF 4

### OVERALL RATING

**GOOD** \_\_\_\_\_ X \_\_\_\_\_  
**MARGINAL** \_\_\_\_\_  
**FAIL** \_\_\_\_\_

**CHILD SAFETY SUPPLEMENT:** **N/A**

<b>Vendor:</b>	Mad Engine, Inc	<b>Agent:</b>	Not Listed
<b>P.O. No.:</b>	HR4040-114	<b>Factory/Manufacturer:</b>	Pacific Sports Haiti S.A. / Pacific (Peace Textiles)
<b>Sample Description:</b>	Guitar Rock	<b>Style No.:</b>	S94KL484J
<b>Color:</b>	Charcoal	<b>Country of Origin:</b>	Haiti
<b>Claimed Fabric Weight:</b>	189 GSM	<b>Claimed Fabric Count:</b>	Not Listed
<b>Yarn Size:</b>	Not Listed	<b>Size Range:</b>	N/L

<b>Sample Status:</b>	Pre Production / Developmental
<b>Product Category:</b>	Children's Wear Knit Garment
<b>Test Requested:</b>	Lead In Surface Coating Test Only
<b>Previous Report No.:</b>	Not Listed

<b>Submitted Fiber Content:</b>	Test Request Form And Label: 100% Cotton
<b>Actual Fiber Content:</b>	Not Requested
<b>Suggested Fiber Content:</b>	Not Applicable
<b>Submitted Care Instruction(s):</b>	Test Request Form: Machine Wash Cold With Like Colors, Only Non-Chlorine Bleach When Needed, Tumble Dry Low, Do Not Iron If Decorated. Label: Machine Wash Cold With Like Colors, Only Non-Chlorine Bleach When Needed, Tumble Dry Low, Do Not Iron
<b>Suggested Care Instruction(s):</b>	WASHING INSTRUCTION: - DRYING INSTRUCTION: - BLEACH WARNING: - IRONING INSTRUCTION: - OTHERS: -



TEST PROPERTY	GOOD	MARG	FAIL	COMMENTS
CPSIA TOTAL LEAD IN SURFACE COATING (NO COMPOSITE)***	X			

\*\*\*This third party report was issued to certify the tested product complied with this rule, ban, standard, or regulation.

**KEYS:**

N/A: Not Applicable  
N/R: Not Requested  
N/L: Not Listed  
I/S: Insufficient Sample

---

Client Specialist  
Tina Georgeakakis

For any administrative questions please contact:  
Rebecca Martins  
[Rebecca.Martins@us.bureauveritas.com](mailto:Rebecca.Martins@us.bureauveritas.com)  
508-844-2750

For any **Analytical** questions please contact John Gerringe  
[john.gerringe@us.bureauveritas.com](mailto:john.gerringe@us.bureauveritas.com)  
508-844-2979



<u>TEST PROPERTY</u>	<u>TEST RESULTS</u>	<u>REQUIREMENTS</u>
<b><u>DETERMINATION OF TOTAL LEAD CONTENT IN THE SURFACE COATING</u></b> (16 CFR 1303)		
BLUE GLITTER PRINT:	<50 PPM	90 PPM MAX
YELLOW GLITTER PRINT:	<50 PPM	
LIGHT BLUE PRINT:	<50 PPM	
WHITE GLITTER PRINT:	<50 PPM	
RED PRINT:	<50 PPM	