



REPORT

Technical Report: (6509)098-0046

Page 1 of 4
April 15, 2009





DILLARD'S INC TEST REPORT

TO: DILLARD'S
DILLARD CORP. OFFICE
1600 CANTRELL ROAD
LITTLE ROCK, AR72201
USA.

ATTN: AMANDA MILLER (DILLARD'S)
C.C.: ANDREA (MAD ENGINE, INC)

LAB NO.: (6509)098-0046
DATE IN: April 08, 2009
MODIFIED DATE IN: Not Applicable
DATE OUT: April 15, 2009
DEPARTMENT: JUVY
NO. OF WORKING DAYS: 05
PAGE: 2 OF 4

OVERALL RATING

GOOD _____ **X**
MARGINAL _____
FAIL _____

CHILD SAFETY SUPPLEMENT: N/A

Vendor:	Mad Engine, Inc	Agent:	Not Listed
P.O. No.:	HR4040-124	Factory/Manufacturer:	Pacific Sports Haiti S.A/ Pacific (Peace Textiles)
Sample Description:	Dino Rock	Style No.:	S94KL230J
Color:	Royal	Country of Origin:	Haiti
Claimed Fabric Weight:	196.5 GSM	Claimed Fabric Count:	Not Listed
Yarn Size:	Not Listed	Size Range:	6/7

Sample Status:	Pre Production/ Developmental
Product Category:	Knit Garment
Test Requested:	Lead In Surface Coating
Previous Report No.:	Not Listed

Submitted Fiber Content:	100% Cotton
Actual Fiber Content:	Not Requested
Suggested Fiber Content:	Not Applicable
Submitted Care Instruction(s):	Machine Wash Cold, With Like Colors, Only Non-Chlorine Bleach When Needed, Tumble Dry Low, Do Not Iron
Suggested Care Instruction(s):	WASHING INSTRUCTION: / DRYING INSTRUCTION: / BLEACH WARNING: / IRONING INSTRUCTION: / OTHERS: /



**BUREAU
VERITAS**

TEST PROPERTY	GOOD	MARG	FAIL	COMMENTS
CPSIA TOTAL LEAD IN SURFACE COATING (NO COMPOSITE)*	X			

*This third party report was issued to certify the tested product complied with this rule, ban standard, or regulation.

KEYS:

N/A: Not Applicable
N/R: Not Requested
N/L: Not Listed
I/S: Insufficient Sample

Client Specialist
Lorie Woodward

For any **Administrative** questions please contact:
Mary Jane Leopardi
508-844-2780
mary-jane.leopardi@us.bureauveritas.com

For any **Technical** questions please contact:
Cathy Rodrigues
508-844-2742
cathy.rodrigues@us.bureauveritas.com

For any **Analytical** questions please contact:
John Gerringe
508-844-2979
john.gerringe@us.bureauveritas.com



<u>TEST PROPERTY</u>	<u>TEST RESULTS</u>	<u>REQUIREMENTS</u>
<u>DETERMINATION OF TOTAL LEAD CONTENT IN THE SURFACE COATING</u> (ASTM E1613/ E1645 MODIFIED)		
WHITE PUFF PRINT	<50 PPM (<0.005%)	MAX: 90 ppm (0.009% by weight)
LIGHT GRAY PUFF PRINT	<50 PPM (<0.005%)	
DARK GRAY PUFF PRINT	<50 PPM (<0.005%)	
YELLOW PUFF PRINT	<50 PPM (<0.005%)	
BLUE PUFF PRINT	<50 PPM (<0.005%)	
WHITE PRINT	<50 PPM (<0.005%)	
LIGHT GRAY PRINT	<50 PPM (<0.005%)	
DARK GRAY PRINT	<50 PPM (<0.005%)	
BLACK PRINT	<50 PPM (<0.005%)	
LIGHT BLUE PRINT	<50 PPM (<0.005%)	
DARK BLUE PRINT	<50 PPM (<0.005%)	
YELLOW PRINT	<50 PPM (<0.005%)	
LIGHT GREEN PRINT	<50 PPM (<0.005%)	
DARK GREEN PRINT	<50 PPM (<0.005%)	
RED PRINT	<50 PPM (<0.005%)	
TAGLESS LABEL	<50 PPM (<0.005%)	

*INDICATES BELOW THE REQUIREMENT

**INDICATES MARGINAL RESULTS